

AUCA00356 Cabot's Composite Stain Remover

Introduction

SKU
57BW0585-500ml

Description and Image

Cabot's Composite Stain Remover is a convenient, ready to use trigger pack that is tough on stains and removes grease and grime from any composite surface. It has a great Eucalyptus scent, and does not contain bleach or harsh solvents.



Features and Benefits

- Tough on Stains
- Ready to Use
- Removes Grease & Grime
- Great Eucalyptus Scent
- Water Wash Up

Uses

All exterior capped and uncapped composite types, including vertical and horizontal surfaces

Precautions and Limitations

Do not use Cabot's Composite Stain Remover within 12 weeks of coating your composite decking.
Some entrenched oil stains on uncapped composites may not be removable with this product.

Performance Guide

| | |
|----------------------------------|--|
| Weather Not Applicable | Heat Resistance Not Applicable |
| Water Not Applicable | Abrasion Not Applicable |

Typical Properties

Colour
Pale yellow

Components
1 Pack

Clean Up
 **Water**

Clean Up Description
Clean brushes and equipment with water.
Dispose of contents/container in accordance with local, regional, national and international regulations.

Application Methods
 **Brush**
Cleaning cloth

Application Guide

Surface Preparation
Sweep away leaves, dirt and debris covering the stain on the surface.

Application Procedure and Equipment

1. Spray Cabot's Composite Stain Remover directly onto the affected area of your composite surface.
2. For best results, leave the solution on the surface for 5 minutes. Do not allow to dry on the surface. Top up with more product if necessary.
3. Scrub the surface vigorously with a brush to help remove the stain.
4. Rinse off with water. Heavily stained composites may require repeat application
5. For everyday cleaning, or full area cleaning prior to coating, use in conjunction with Cabot's Composite Cleaner.

Health and Safety

SDS Number
DLXGHCEN004868

SDS Link
[View SDS Link](#)

Using Safety Precautions
Risks: May cause an allergic skin reaction and serious eye damage.
Keep out of reach of children.
Read carefully and follow all instructions. Avoid breathing mist or spray.
Wear protective gloves/protective clothing including eye/face protection.

If medical advice is needed, have product container or label at hand.
IF ON SKIN: Wash with plenty of water and soap.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF SWALLOWED: Immediately call a POISON CENTER/doctor.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse

Please refer to SDS Link. In case of emergency, please call 1800 220 770.

Transport and Storage

Pack A
57BW0585

Size:

500 mL

Weight:

590 G

Please refer to the Safety Data Sheet for full safety, health and transportation information.

Disclaimer

This Data Sheet is copyright to DuluxGroup (Australia) Pty Ltd and/or DuluxGroup (New Zealand) Pty Ltd (collectively, 'Dulux'). It may not be varied or altered without the prior written consent of Dulux, and if it is, Dulux has no responsibility or liability for those variations.

Unless Dulux has provided you with a customised, project-specific specification, this Data Sheet does not represent that any particular product or product system will be suitable for your project.

Any information provided in this Data Sheet is given in good faith and is believed by Dulux to be correct at the time of publication. Products and coating systems can be expected to perform as indicated in this Data Sheet, provided the substrate is in good condition, the coatings are applied by a suitably experienced and skilled applicator, and the preparation, application and maintenance is followed strictly as set out in this Data Sheet, and as recommended on the applicable Safety Data Sheets for the relevant products, available from www.duspecplus.com.au. Climatic conditions at application time can affect product suitability and performance.

The correct colour or colour match is the responsibility of the applicator. Colours will change over time and Dulux does not guarantee that the same colour newly mixed will match a colour applied earlier which has been subjected to weathering or other change elements. No product colour is guaranteed against colour change.

Where any liability of Dulux in respect of this Data Sheet cannot by law be excluded, Dulux's liability is limited, as permitted by law and at Dulux's option, to resupply of the relevant products or services or to reimbursing the cost of those products or services.

WHERE LEAD MAY BE PRESENT: The asset manager is responsible for verifying the presence of lead and determining whether to remove or encapsulate the lead. If lead is present, the work must be done in strict accordance with AS 4361 Parts 1 and 2 and Worksafe Australia guidelines.